



Group in catalogue LOUVER &amp; RECESSED LUMINAIRES


# LUGCLASSIC T8 n/t SLA



Code	HF DIMM	emergency kit	Power [W]	Base	Dimensions LxWxH [mm]	Weight	Light beam curves
<b>HF - High Frequency</b>							
060041.1201.204	+	<sup>1)</sup>	2×18	G13	613 225 87	2,1	002
060041.1202.204	+	+	2×36	G13	1225 225 87	3,8	474
060041.1203.204	+	+	2×58	G13	1532 225 87	4,7	002
060041.1401.204	+	+	4×18	G13	613 612 87	3,6	471
060041.1402.204	+	+	4×36	G13	1225 597 87	8,5	001
<b>IC</b>							
060041.6201.204	+	<sup>1)</sup>	2×18	G13	613 225 87	2,5	010

<sup>1)</sup> Please contact LUG technical dept. for information on combining the solutions as listed above

## Light beam curves

**Description:** surface mounted louver luminaire for linear fluorescent lamps T8**Technical details:** luminaire body made of white steel sheet, electromagnetic control gear, compensation included**Application:** public utility buildings, offices, computer rooms, class and lecture rooms**Mounting:** directly on the ceiling**Additionally available:** special connectors for system installation, additional internal reflector over a lamp, emergency kit, electronic control gear

## New index / Old index

060041.1201.204	BO.001.20	060041.1203.204	BO.005.20	060041.1402.204	BO.009.20
060041.1202.204	BO.003.20	060041.1401.204	BO.007.20	060041.6201.204	BO.001